# SAFETY DATA SHEET

### SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : CL-Kote 90

Recommended of use : Acrylic bituminous emulsion waterproofing coating

Supplier : CLP Construction Systems Sdn. Bhd.

Lot 9, Jalan Sultan Mohamed 4, Selat Klang Utara, 42000 Port Klang, Selangor Darul Ehsan, Malaysia.

Tel: 603-3176 5099

#### SECTION 2: HAZARD IDENTIFICATION

#### GHS CLASSIFICATION:

Physical Hazard: -

Not classified

Health Hazard: -

Serious eye damage / irritation : Category 2
Skin Sensitization : Category 1

# **Environmental Hazards:-**

Not classified

#### **GHS LABEL ELEMENT:**

**Pictograms:** 



Signal Word : WARNING

### **GHS HAZARD STATEMENTS:**

Health hazards: -

H317: May cause allergic skin reaction H319: Causes serious eye irritation

#### **GHS PRECAUTIONARY STATEMENTS:**

### **Prevention**

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/ face protection

#### Response

P302+P352: IF ON SKIN: Wash plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see First Aid Measures on Safety Data Sheet).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P363: Wash contaminated clothing before use.

### Disposal:

P501: Dispose of contents and container to appropriate waste site in accordance with local and national regulations.

Doc. No.: SDS/BM-36-E-1

Page 1 of 4

#### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENT

**Chemical characterization: Mixtures** 

Classification of hazardous components according to GHS

Chemical Name	CAS No.	Composition
Bitumen	8052-42-4	30% to 60%
Sodium Hydroxide	1310-73-2	< 1 %
2-methyl-3(2H)-isothiazolone	55965-84-5	< 1 %
Kaolin	1332-58-7	10% to 30%

### **SECTION 4: FIRST AID MEASURES**

**INHALATION** : Remove from exposure – unlikely to occur.

**SKIN CONTACT**: Wash thoroughly with pH neutral soap and cool water. Do NOT use solvent or thinner to

remove product from skin.

**EYE CONTACT**: Irrigate immediately with copious quantities of water for several minutes. Obtain medical

attention if irritation persists.

**INGESTION**: Wash out mouth with water. Do NOT induce vomiting.

#### **SECTION 5: FIRE FIGHTING MEASURES**

**Extinguishing Media** : None, not flammable.

Special Exposure Hazards : None.
Protective Equipment : None.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** : Wear suitable protective clothing, gloves and eye or face protection.

**Environment Precautions**: Prevent entry into drains, sewers and water courses.

**Decontamination Procedures**: Soak up with inert absorbent or contain and remove by best available means.

Gather into containers. Dispose of as waste.

### **SECTION 7: HANDLING AND STORAGE**

# Precautions for safe handling:

Avoid skin and eye contact.

#### Conditions for storage

Store in cool, dry place. Protect from frost.

# SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure Limits: No data available.

**Engineering Control:** No specific ventilation requirement.

**Personal Protection Equipment:** Wear impervious gloves eg. PVC, in case of repeated or prolonged contact.

Wear goggles.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Brown liquid

Odor : None

Water Solubility : Partially miscible with water

Doc. No.: SDS/BM-36-E-1

pH : 9.0 – 12.0 Boiling Point : 100°C

Melting Point Data not available Flash Point Not applicable Explosion / Flammability Limit in Air Not applicable **Auto-ignition Temperature** Not applicable Vapour Pressure Data not available Specific Gravity approx. 1.0 @ 28°C **Decomposition Temperature** Not applicable Kinetic Viscosity Data not available Vapour Density (Air=1) Data not available

#### **SECTION 10: STABILITY AND REACTIVITY**

**Chemical stability**: Stable under normal conditions of use.

**Conditions to avoid** : Avoid temperature below 10°C and above 50°C.

Material to avoid : Strong acids.

Hazardous Decomposition Products: Thermal decomposition: Sulphur compounds including hydrogen sulphide.

Hazardous Polymerisation: Will not occur.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

Eye contact: Irritation.

Skin contact: Unlikely to irritate on brief or occasional exposure. Long term skin contact may cause health

problems.

Inhalation: Low volatility makes inhalation unlikely at ambient temperatures..

Acute Toxicity: LD50 (Oral, Rat) : > 6485 mg/kg

LD50 (Dermal, Rabbit) : > 2632 mg/kg LC50 (Inhalation, Rat) : > 1182 mg/l

Chronic Toxicity: Repeated and prolonged skin contact may lead to skin disorders.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Environmental Assessment: When used and disposed of as intended, no adverse environmental effects are

foreseen.

Mobile liquid. Emulsifiable in water.

Persistence and Degradabililty: Not readily biodegradable.

Bioaccumulation Potential: Not expected to be bioaccumulative.

Ecotoxicity: Expected to be low ecotoxic to fish / daphnia / algae.

# **SECTION 13: DISPOSAL INFORMATION**

Dispose of material through a licensed waste contractor. Do not dispose into the environment, in drains, or in water courses. Waste product should not be allowed to contaminate soil or water. Decontamination and destruction of containers should be considered.

### **SECTION 14: TRANSPORT INFORMATION**

This product is NOT classified as dangerous goods for transport.

Doc. No.: SDS/BM-36-E-1

### **SECTION 15: REGULATORY INFORMATION**

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

# **Local Regulations**

- Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulation 2013 (CLASS Regulations)
- Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health)
   Regulation 2000
- Environmental Quality Act 1974, Environmental Quality (Scheduled Wastes) Regulations 2005

### **SECTION 16: OTHER INFORMATION**

**Date of Preparation**: 15<sup>th</sup> June 2021

**Revision Number**: 1 (Reviewed, no change from previous Safety Data Sheet)

Source of data : SDS of Material Manufacturers

Additional Information: The information contained herein is based on our current knowledge of the underlying data

and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty or guarantee is expressed or implied regarding the accuracy of these data or the results to be obtained from the use of the product. For further

information, contact CLP Construction Systems Sdn. Bhd.

### **Details of Changes from Previous SDS: -**

Section	Details of Changes	
-	-	

Doc. No.: SDS/BM-36-E-1